

Mar 17 15:51:38 debian httpd.aaa-docker-wrapper[32531]: httpd.aaa(7) INFO:
[mac:d4:be:d9:38:03:37] handling radius autz request: from switch_ip => (172.20.100.10),
connection_type => Ethernet-NoEAP, switch_mac => (08:17:35:5b:1e:94), mac => [d4:be:d9:38:03:37],
port => 75, username => "d4bed9380337" (pf::radius::authorize)
Mar 17 15:51:38 debian httpd.aaa-docker-wrapper[32531]: httpd.aaa(7) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile default (pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:51:38 debian httpd.aaa-docker-wrapper[32531]: httpd.aaa(7) INFO:
[mac:d4:be:d9:38:03:37] is of status unreg; belongs into registration VLAN
(pf::role::getRegistrationRole)
Mar 17 15:51:38 debian httpd.aaa-docker-wrapper[32531]: httpd.aaa(7) INFO:
[mac:d4:be:d9:38:03:37] (172.20.100.10) Added VLAN 102 to the returned RADIUS Access-Accept
(pf::Switch::returnRadiusAccessAccept)
Mar 17 15:51:38 debian httpd.aaa-docker-wrapper[32531]: httpd.aaa(7) WARN:
[mac:d4:be:d9:38:03:37] No parameter registrationRole found in conf/switches.conf for the switch
172.20.100.10 (pf::Switch::getRoleByName)
Mar 17 15:51:38 debian httpd.aaa-docker-wrapper[32531]: httpd.aaa(7) INFO:
[mac:d4:be:d9:38:03:37] Updating locationlog from accounting request
(pf::api::handle_accounting_metadata)
Mar 17 15:51:38 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Running
task api (main::process_data)
Mar 17 15:51:38 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Calling api
task process_dhcpv6 (pf::task::api::doTask)
Mar 17 15:51:39 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Running
task api (main::process_data)
Mar 17 15:51:39 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Calling api
task process_dhcpv6 (pf::task::api::doTask)
Mar 17 15:51:39 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Running
task api (main::process_data)
Mar 17 15:51:39 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Calling api
task process_dhcpv4 (pf::task::api::doTask)
Mar 17 15:51:39 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Running
task api (main::process_data)
Mar 17 15:51:39 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Calling api
task process_dhcpv4 (pf::task::api::doTask)
Mar 17 15:51:39 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown]
DHCPREQUEST from d4:be:d9:38:03:37 (192.168.102.201)
(pf::dhcp::processor_v4::parse_dhcp_request)
Mar 17 15:51:39 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] The listener
process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)
Mar 17 15:51:39 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] DHCPACK
from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds
(pf::dhcp::processor_v4::parse_dhcp_ack)
Mar 17 15:51:39 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] The listener
process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)
Mar 17 15:51:39 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:51:39 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO:
[mac:d4:be:d9:38:03:37] grace expired on security event 1200005 for node d4:be:d9:38:03:37
(pf::security_event::security_event_add)
Mar 17 15:51:39 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO:
[mac:d4:be:d9:38:03:37] security event 1200005 added for d4:be:d9:38:03:37 as open
(pf::security_event::security_event_add)
Mar 17 15:51:39 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO:
[mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance
(pf::api::trigger_scan)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742206900970337 (pf::util::generate_id)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422069009703371742206900.95968 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '`<create_target><name>17422069009703371742206900.95968</name><hosts>192.168.102.201</hosts></create_target>`' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422069009703371742206900.95968, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422069009703371742206900.95968 (pf::scan::openvas::createTask)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '`<create_task><name>17422069009703371742206900.95968</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"><target id=""><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"></create_task>`' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422069009703371742206900.95968, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:51:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422069009703371742206900.95968 (pf::scan::openvas::startTask)

Mar 17 15:51:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id="">' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:51:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:51:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:51:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:51:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:51:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422069009703371742206900.95968, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:51:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:51:41 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:51:41 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv6 (pf::task::api::doTask)

Mar 17 15:51:46 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:51:46 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv6 (pf::task::api::doTask)

Mar 17 15:51:48 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:51:48 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Calling api task trigger_security_event (pf::task::api::doTask)

Mar 17 15:51:48 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:d4:be:d9:38:03:37] Database /usr/local/fingerbank/db/fingerbank_Local.db was changed or handles weren't initialized. Creating handle. (fingerbank::DB::SQLite::build_handle)

Mar 17 15:51:48 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:d4:be:d9:38:03:37] Database /usr/local/fingerbank/db/fingerbank_Upstream.db was changed or handles weren't initialized. Creating handle. (fingerbank::DB::SQLite::build_handle)

Mar 17 15:51:48 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:d4:be:d9:38:03:37] Searching for 'Device' entries in schema(s) returned an empty set (fingerbank::Base::CRUD::search)

Mar 17 15:51:48 debian pfqueue-backend[32158]: pfqueue(31928) WARN: [mac:d4:be:d9:38:03:37] Unable to pull accounting history for device d4:be:d9:38:03:37. The history set doesn't exist yet. (pf::accounting_events_history::latest_mac_history)

Mar 17 15:51:54 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:d4:be:d9:38:03:37] Running task api (main::process_data)

Mar 17 15:51:54 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:d4:be:d9:38:03:37] Calling api task process_dhcpv6 (pf::task::api::doTask)

Mar 17 15:51:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:51:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:51:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:51:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:51:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:51:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:51:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:51:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] 3584 grace remaining on security event 1200005 for node d4:be:d9:38:03:37. Not adding security_event. (pf::security_event::security_event_add)

Mar 17 15:52:06 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:09 debian httpd.portal-docker-wrapper[32905]: httpd.portal(12) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:10 debian pfqueue-backend[32154]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:10 debian pfqueue-backend[32154]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv6 (pf::task::api::doTask)

Mar 17 15:52:10 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:10 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:10 debian pfqueue-backend[32143]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:10 debian pfqueue-backend[32143]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:10 debian pfqueue-backend[32143]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:52:10 debian pfqueue-backend[32143]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:52:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] 3569 grace remaining on security event 1200005 for node d4:be:d9:38:03:37. Not adding security_event. (pf::security_event::security_event_add)

Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO: [mac:d4:be:d9:38:03:37] User default has authenticated on the portal. (captiveportal::PacketFence::DynamicRouting::Module::_username_set)

Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN: [mac:d4:be:d9:38:03:37] Calling match with empty/invalid rule class. Defaulting to 'authentication' (pf::authentication::match)

Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO: [mac:d4:be:d9:38:03:37] Using sources null for matching (pf::authentication::match)

```
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match_rule)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Calling match with empty/invalid rule class. Defaulting to 'authentication'
(pf::authentication::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Using sources null for matching (pf::authentication::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match_rule)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Calling match with empty/invalid rule class. Defaulting to 'authentication'
(pf::authentication::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Using sources null for matching (pf::authentication::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match_rule)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Calling match with empty/invalid rule class. Defaulting to 'authentication'
(pf::authentication::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Using sources null for matching (pf::authentication::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match_rule)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Calling match with empty/invalid rule class. Defaulting to 'authentication'
(pf::authentication::match)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Using sources null for matching (pf::authentication::match)
```

Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match_rule)
Mar 17 15:52:20 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Matched rule (catchall) in source null, returning actions.
(pf::Authentication::Source::match)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(13) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(13) INFO:
[mac:d4:be:d9:38:03:37] No mfa found for d4:be:d9:38:03:37. Continuing.
(captiveportal::PacketFence::DynamicRouting::Module::MFA::execute_child)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(12) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] No provisioner found for d4:be:d9:38:03:37. Continuing.
(captiveportal::PacketFence::DynamicRouting::Module::Provisioning::execute_child)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] security_event 1300003 force-closed for d4:be:d9:38:03:37
(pf::security_event::security_event_force_close)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] grace expired on security event 1200001 for node d4:be:d9:38:03:37
(pf::security_event::security_event_add)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] security event 1200001 added for d4:be:d9:38:03:37 as open
(pf::security_event::security_event_add)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] executing action 'reevaluate_access' on class 1200001
(pf::action::action_execute)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] re-evaluating access (manage_vopen called)
(pf::enforcement::reevaluate_access)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] is currentlog connected at (172.20.100.10) ifIndex 75 registration
(pf::enforcement::_should_we_reassign_vlan)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] highest priority security_event is 1200001. Target Role for security_event:
registration (pf::role::getIsolationRole)
Mar 17 15:52:21 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] On Registration Scan - Current Scan Engine is : Compliance
(pf::api::trigger_scan)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] New ID generated: 1742206942720337 (pf::util::generate_id)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Creating a new scan target named 17422069427203371742206942.95059
for host 192.168.102.201 (pf::scan::openvas::createTarget)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u
sibin -w buenosdias -X
'<create_target><name>17422069427203371742206942.95059</name><hosts>192.168.102.201</h
osts></create_target>' called from openvas::createTarget. Child exited with non-zero value 127
(pf::util::pf_run)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at
/usr/local/pf/lib/pf/scan/openvas.pm line 74.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 75.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at
/usr/local/pf/lib/pf/scan/openvas.pm line 78.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 87.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] There was an error creating scan target named
17422069427203371742206942.95059, here's the output: (pf::scan::openvas::createTarget)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Creating a new scan task named 17422069427203371742206942.95059
(pf::scan::openvas::createTask)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 324.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u
sibin -w buenosdias -X '<create_task><name>17422069427203371742206942.95059</name><config
id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-
e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value
127 (pf::util::pf_run)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at
/usr/local/pf/lib/pf/scan/openvas.pm line 109.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 110.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at
/usr/local/pf/lib/pf/scan/openvas.pm line 113.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 122.
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] There was an error creating scan task named
17422069427203371742206942.95059, here's the output: (pf::scan::openvas::createTask)
Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:52:22 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) INFO:
[mac:d4:be:d9:38:03:37] Starting scan task named 17422069427203371742206942.95059
(pf::scan::openvas::startTask)

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u
sibin -w buenosdias -X '<start_task task_id="">' called from openvas::startTask. Child exited with
non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at
/usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at
/usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at
/usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(14) WARN:
[mac:d4:be:d9:38:03:37] There was an error starting the scan task named
17422069427203371742206942.95059, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:52:23 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO:
[mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37
(pf::security_event::security_event_close)

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(15) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(15) INFO:
[mac:d4:be:d9:38:03:37] captive portal redirect to the scan in progress page
(captiveportal::PacketFence::Controller::SecurityEvent::index)

Mar 17 15:52:23 debian httpd.portal-docker-wrapper[32905]: httpd.portal(15) WARN:
[mac:d4:be:d9:38:03:37] Redundant argument in sprintf at /usr/local/pf/lib/pf/web.pm line 111.

Mar 17 15:52:24 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Running
task api (main::process_data)

Mar 17 15:52:24 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Calling api
task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Running
task api (main::process_data)

Mar 17 15:52:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Calling api
task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] DHCPACK
from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds
(pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:52:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] The listener
process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:52:24 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO:
[mac:d4:be:d9:38:03:37] Instantiate profile New_profile
(pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:24 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN:
[mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001
exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:52:24 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO:
[mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance
(pf::api::trigger_scan)

Mar 17 15:52:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742206945350337 (pf::util::generate_id)

Mar 17 15:52:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422069453503371742206945.99818 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '`<create_target><name>17422069453503371742206945.99818</name><hosts>192.168.102.201</hosts></create_target>`' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422069453503371742206945.99818, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422069453503371742206945.99818 (pf::scan::openvas::createTask)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '`<create_task><name>17422069453503371742206945.99818</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"><target id=""><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87">`' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422069453503371742206945.99818, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422069453503371742206945.99818 (pf::scan::openvas::startTask)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id="">' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422069453503371742206945.99818, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:52:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:52:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(17) INFO: [mac:[undef]] getting security_events triggers for accounting cleanup (pf::accounting::acct_maintenance)

Mar 17 15:52:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(13) INFO: [mac:[undef]] processed 0 security_events during security_event maintenance (1742206947.08478 1742206947.09368) (pf::security_event::security_event_maintenance)

Mar 17 15:52:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(17) INFO: [mac:[undef]] Using 300 resolution threshold (pf::pfcron::task::cluster_check::run)

Mar 17 15:52:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(17) INFO: [mac:[undef]] All cluster members are running the same configuration version (pf::pfcron::task::cluster_check::run)

Mar 17 15:52:40 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:40 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:40 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:40 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:40 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:52:40 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:52:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:52:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742206961720337 (pf::util::generate_id)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422069617203371742206961.35509 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X 'create_target'<name>17422069617203371742206961.35509</name><hosts>192.168.102.201</hosts></create_target' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422069617203371742206961.35509, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422069617203371742206961.35509 (pf::scan::openvas::createTask)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X 'create_task'<name>17422069617203371742206961.35509</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422069617203371742206961.35509, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422069617203371742206961.35509 (pf::scan::openvas::startTask)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id="">' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422069617203371742206961.35509, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:52:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:52:42 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:42 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv6 (pf::task::api::doTask)

Mar 17 15:52:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:52:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:52:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:52:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:52:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:52:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742206976480337 (pf::util::generate_id)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422069764803371742206976.71606 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '`<create_target><name>17422069764803371742206976.71606</name><hosts>192.168.102.201</hosts></create_target>`' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422069764803371742206976.71606, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422069764803371742206976.71606 (pf::scan::openvas::createTask)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '`<create_task><name>17422069764803371742206976.71606</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"><target id=""><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"></create_task>`' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422069764803371742206976.71606, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422069764803371742206976.71606 (pf::scan::openvas::startTask)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id="">' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422069764803371742206976.71606, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:52:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:53:09 debian pfqueue-backend[32154]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:09 debian pfqueue-backend[32154]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:09 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:09 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:09 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:53:09 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:53:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:53:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742206991380337 (pf::util::generate_id)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422069913803371742206991.06079 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X

'<create_target><name>17422069913803371742206991.06079</name><hosts>192.168.102.201</hosts></create_target>' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422069913803371742206991.06079, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422069913803371742206991.06079 (pf::scan::openvas::createTask)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X '<create_task><name>17422069913803371742206991.06079</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422069913803371742206991.06079, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422069913803371742206991.06079 (pf::scan::openvas::startTask)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id="">' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422069913803371742206991.06079, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:53:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:53:25 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:25 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:25 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:25 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:25 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:53:25 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:53:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:53:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742207006940337 (pf::util::generate_id)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422070069403371742207006.40862 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<create_target><name>17422070069403371742207006.40862</name><hosts>192.168.102.201</h

osts></create_target>' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422070069403371742207006.40862, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422070069403371742207006.40862 (pf::scan::openvas::createTask)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X '<create_task><name>17422070069403371742207006.40862</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422070069403371742207006.40862, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422070069403371742207006.40862 (pf::scan::openvas::startTask)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X '<start_task task_id=""/>' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422070069403371742207006.40862, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:53:26 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:53:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(16) INFO: [mac:[undef]] getting security_events triggers for accounting cleanup (pf::accounting::acct_maintenance)

Mar 17 15:53:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(15) INFO: [mac:[undef]] processed 0 security_events during security_event maintenance (1742207007.09215 1742207007.09928) (pf::security_event::security_event_maintenance)

Mar 17 15:53:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(17) INFO: [mac:[undef]] Using 300 resolution threshold (pf::pfcron::task::cluster_check::run)

Mar 17 15:53:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(17) INFO: [mac:[undef]] All cluster members are running the same configuration version (pf::pfcron::task::cluster_check::run)

Mar 17 15:53:31 debian pfqueue-backend[32145]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:31 debian pfqueue-backend[32145]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv6 (pf::task::api::doTask)

Mar 17 15:53:39 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:39 debian pfqueue-backend[32160]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:39 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:39 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:39 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:53:39 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:53:39 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:39 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:53:39 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742207020550337 (pf::util::generate_id)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422070205503371742207020.74805 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X

'<create_target><name>17422070205503371742207020.74805</name><hosts>192.168.102.201</hosts></create_target>' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422070205503371742207020.74805, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422070205503371742207020.74805 (pf::scan::openvas::createTask)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X '<create_task><name>17422070205503371742207020.74805</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422070205503371742207020.74805, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422070205503371742207020.74805 (pf::scan::openvas::startTask)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id="">' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422070205503371742207020.74805, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:53:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:53:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:55 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:53:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:53:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:53:55 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:53:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:53:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742207036810337 (pf::util::generate_id)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422070368103371742207036.10908 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<create_target><name>17422070368103371742207036.10908</name><hosts>192.168.102.201</h

osts></create_target>' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422070368103371742207036.10908, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422070368103371742207036.10908 (pf::scan::openvas::createTask)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X '<create_task><name>17422070368103371742207036.10908</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422070368103371742207036.10908, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422070368103371742207036.10908 (pf::scan::openvas::startTask)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X '<start_task task_id=""/>' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422070368103371742207036.10908, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:53:56 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:54:10 debian pfqueue-backend[32154]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:10 debian pfqueue-backend[32154]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:10 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:10 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:10 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:54:10 debian pfqueue-backend[32148]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:54:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:54:10 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742207051380337 (pf::util::generate_id)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422070513803371742207051.46441 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422070513803371742207051.46441, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422070513803371742207051.46441 (pf::scan::openvas::createTask)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<create_task><name>17422070513803371742207051.46441</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422070513803371742207051.46441, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422070513803371742207051.46441 (pf::scan::openvas::startTask)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id=""/>' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422070513803371742207051.46441, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:54:11 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5485) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:54:24 debian pfqueue-backend[32143]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:24 debian pfqueue-backend[32143]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:54:24 debian pfqueue-backend[32156]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:54:24 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:24 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:54:24 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742207065920337 (pf::util::generate_id)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422070659203371742207065.80923 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<create_target><name>17422070659203371742207065.80923</name><hosts>192.168.102.201</hosts></create_target>' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422070659203371742207065.80923, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422070659203371742207065.80923 (pf::scan::openvas::createTask)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<create_task><name>17422070659203371742207065.80923</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422070659203371742207065.80923, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422070659203371742207065.80923 (pf::scan::openvas::startTask)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id=""/>' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422070659203371742207065.80923, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:54:25 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:54:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(15) INFO: [mac:[undef]] getting security_events triggers for accounting cleanup (pf::accounting::acct_maintenance)

Mar 17 15:54:27 debian pfperl-api-docker-wrapper[31826]: pfperl-api(11) INFO: [mac:[undef]] processed 0 security_events during security_event maintenance (1742207067.05824 1742207067.06767) (pf::security_event::security_event_maintenance)

Mar 17 15:54:28 debian pfperl-api-docker-wrapper[31826]: pfperl-api(17) INFO: [mac:[undef]] Using 300 resolution threshold (pf::pfcron::task::cluster_check::run)

Mar 17 15:54:28 debian pfperl-api-docker-wrapper[31826]: pfperl-api(17) INFO: [mac:[undef]] All cluster members are running the same configuration version (pf::pfcron::task::cluster_check::run)

Mar 17 15:54:40 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:40 debian pfqueue-backend[32157]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:40 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:40 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:40 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:54:40 debian pfqueue-backend[32155]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:54:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:54:40 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742207081840337 (pf::util::generate_id)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422070818403371742207081.1609 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X 'create_target'<name>17422070818403371742207081.1609</name><hosts>192.168.102.201</hosts></create_target' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422070818403371742207081.1609, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422070818403371742207081.1609 (pf::scan::openvas::createTask)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<create_task><name>17422070818403371742207081.1609</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422070818403371742207081.1609, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422070818403371742207081.1609 (pf::scan::openvas::startTask)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id=""/>' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5484) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422070818403371742207081.1609, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:54:41 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

Mar 17 15:54:54 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:54 debian pfqueue-backend[32153]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:54 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Running task api (main::process_data)

Mar 17 15:54:54 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] Calling api task process_dhcpv4 (pf::task::api::doTask)

Mar 17 15:54:54 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] DHCPACK from 192.168.102.1 (20:67:7c:e3:58:3d) to host d4:be:d9:38:03:37 (192.168.102.201) for 30 seconds (pf::dhcp::processor_v4::parse_dhcp_ack)

Mar 17 15:54:54 debian pfqueue-backend[32158]: pfqueue(31928) INFO: [mac:unknown] The listener process is on the same server as the DHCP server. (pf::dhcp::processor_v4::pf_is_dhcp)

Mar 17 15:54:54 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:54 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] hostscan detected from d4:be:d9:38:03:37, but security_event 1200001 exists - ignoring (pf::security_event::security_event_add)

Mar 17 15:54:54 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Pre Registration Scan - Current Scan Engine is : Compliance (pf::api::trigger_scan)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Instantiate profile New_profile (pf::Connection::ProfileFactory::_from_profile)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] New ID generated: 1742207095930337 (pf::util::generate_id)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan target named 17422070959303371742207095.49846 for host 192.168.102.201 (pf::scan::openvas::createTarget)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sabin -w buenosdias -X '<create_target><name>17422070959303371742207095.49846</name><hosts>192.168.102.201</hosts></create_target>' called from openvas::createTarget. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 74.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 75.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 78.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 87.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan target named 17422070959303371742207095.49846, here's the output: (pf::scan::openvas::createTarget)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Creating a new scan task named 17422070959303371742207095.49846 (pf::scan::openvas::createTask)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$target_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 324.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<create_task><name>17422070959303371742207095.49846</name><config id="1090a9dd-3ca1-42cd-8f4d-0923e1436c55"/><target id=""/><alert id="685e912c-5340-4cc6-acf8-e02e9741ea87"/></create_task>' called from openvas::createTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 109.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 110.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 113.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 122.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] There was an error creating scan task named 17422070959303371742207095.49846, here's the output: (pf::scan::openvas::createTask)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$task_id in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 256.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) INFO: [mac:d4:be:d9:38:03:37] Starting scan task named 17422070959303371742207095.49846 (pf::scan::openvas::startTask)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Problem trying to run command: LANG=C omp -h 172.20.100.58 -p 9390 -u sibir -w buenosdias -X '<start_task task_id=""/>' called from openvas::startTask. Child exited with non-zero value 127 (pf::util::pf_run)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in scalar chomp at /usr/local/pf/lib/pf/scan/openvas.pm line 263.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 264.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in pattern match (m//) at /usr/local/pf/lib/pf/scan/openvas.pm line 267.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] Use of uninitialized value \$output in concatenation (.) or string at /usr/local/pf/lib/pf/scan/openvas.pm line 278.

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5482) WARN: [mac:d4:be:d9:38:03:37] There was an error starting the scan task named 17422070959303371742207095.49846, here's the output: (pf::scan::openvas::startTask)

Mar 17 15:54:55 debian httpd.webservices-docker-wrapper[42686]: httpd.webservices(5483) INFO: [mac:d4:be:d9:38:03:37] security_event 1200005 closed for d4:be:d9:38:03:37 (pf::security_event::security_event_close)

^C

root@debian:~#

